

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.
3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
4. PROPER SIZING OF CONDUIT HOLES TO BE PERFORMED BY OTHERS.
5. ONLY APPLICABLE OPTIONS ARE PIPED.
6. PIPING ENDS INSIDE UNIT WITH UNION SWEAT CONNECTIONS.
7. CONNECTION INSIDE UNIT.
8. ACTUAL FILTER SIZES:
 1X=795[31.30] X 508[20.00] X 95[3.75]
 1X=795[31.30] X 516[20.32] X 95[3.75]
 1X=500[19.69] X 365[14.37] X 95[3.75]
9. APPROXIMATE UNIT WEIGHT IS 547 kg [1206 LBS].
10. MOVING/RIGGING: BY USING FORKLIFT ON PALLET, OR ROPES HAVE TO BE FIXED AT PALLET AND UPPER UNIT EDGES, USING WOODEN LATHS OR METAL BRACKETS, UNIT IN UPRIGHT POSITION.

FIELD CONNECTIONS:

- (A) CONDENSATE DRAIN - 1" NPT CONNECTION (STANDARD)-SEE NOTE 7.
- (B) HUMIDIFIER WATER SUPPLY -1/4" COMPRESSION FITTING - (OPTIONAL)- SEE NOTE 5 & 7.
- (C) POWER WIRE INLET - 0.375" [10mm] PILOT HOLE - SEE NOTE 4.
- (E) CONTROL WIRE INLET - 0.375" [10mm] PILOT HOLE - SEE NOTE 4.
- (D1) CHILLED WATER INLET - 2.125" [54mm] ID, - SEE NOTE 6.
- (D2) CHILLED WATER OUTLET - 2.125" [54mm] ID, - SEE NOTE 6.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE: InRoom CHILLED WATER
 MODEL SIZE: 1750mm
 UPFLOW UNIT
 FRONT AND SIDE VIEWS



PROJECT: SUBMITTAL DRAWINGS SHEET 1 OF 3

DWG NO: PCW900U

DRAWN: BALAMURUGAN	04-FEB-09
ENGINEER: T.SCHUCH/S.TOPUZ	04-FEB-09
APPROVED: C.Cumiskey/A.Kukla/C.Zaldívar	04-FEB-09

REV. 0

ANGLE PROJECTION: N.A



BOTTOM VIEW

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.
3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE:
InRoom CHILLED WATER
MODEL SIZE: 1750mm
UPFLOW UNIT
TOP AND BOTTOM VIEWS

PROJECT: SUBMITTAL DRAWINGS SHEET 2 OF 3

DWG NO: PCW900U

DRAWN: BALAMURUGAN 04-FEB-09

ENGINEER: T.SCHUCH/S.TOPUZ 04-FEB-09



APPROVED: C.Cumiskey/A.Kukla/C.Zaldívar 04-FEB-09

REV. 0

ANGLE

PROJECTION:

N.A



NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.
2. PLEASE REFER TO PRODUCT MANUALS FOR ADDITIONAL DETAILS.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TITLE:	InRoom CHILLED WATER MODEL SIZE: 1750mm UPFLOW UNIT	DWG NO:	PCW900U	REV:	0
PROJECT:	SUBMITTAL DRAWINGS	SHEET	3 OF 3	APPROVED:	C.Cummiskey/A.Kukla/C.Zaldívar
ENGINEER:	T.SCHUCH/S.TOPUZ	DATE:	04-FEB-09	ANGLE:	PROJECTION:
					N.A